

1: [South Med J.](#) 2008 Jun 14. [Epub ahead of print]**Strongyloides Hyperinfection Syndrome Complicating (Ectopic) Cushing Syndrome.**[Vadlamudi RS](#), [Van Dort M](#), [Barklow T](#), [Byrd RP Jr](#), [Moorman JP](#).

From the Section of General Internal Medicine, Wake Forest University School of Medicine, Winston-Salem, NC; Division of Infectious Diseases; Department of Pathology; and Division of Pulmonary and Critical Care, Quillen College of Medicine, and James H. Quillen Veterans Affairs Medical Center, Johnson City, TN.

Strongyloidiasis can present with a wide variety of symptoms and can lead to a potentially fatal hyperinfection. Although any factors that suppress the host defense mechanisms can potentially trigger hyperinfection, prolonged steroid use has been quite well described. A patient with disseminated small cell lung cancer suffered a Strongyloides stercoralis hyperinfection syndrome complicating ectopic adrenocorticotrophic hormone (Cushing syndrome). Evaluation revealed lymphopenia, elevated levels of adrenocorticotrophic hormone in the setting of elevated cortisol levels, a normal pituitary, and metastatic malignancy. S. stercoralis autopsy, S. stercoralis larval forms were identified in the metastatic small cell lung carcinoma.

PMID: 18580721 [PubMed - as usual]



Link a SBBL dal quale è possibile raggiungere il full-text oppure inoltrare la richiesta di Document Delivery.

Related Articles

- ▶ Intestinal strongyloidiasis and hyperinfection syndrome. [Clin Mol Allergy]
- ▶ Strongyloides stercoralis in the Immunocompromised Popul. [Clin Microbiol Rev]
- ▶ Pulmonary hyperinfection with Strongyloides stercoralis. [J Formos Med Assoc]
- ▶ Strongyloides stercoralis hyperinfection in a patient with t acquired immune deficiency syndrome. [Am J Mec]
- ▶ Pulmonary hyperinfection syndrome with Strongyloides stercoralis. [Ches]

» See all Related A